

Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015
 "" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 **Product identifier**
 Trade Name: **CLASSIC FENJA SL 2 EP**
 Article No.: n.av.
 Preparation No.: n.av.
 Registration No.: n.ap.
- 1.2 **Relevant identified uses of the substance or mixture and uses advised against**
 Identified uses: lubricant assistants
- 1.3 **Details of the supplier of the safety data sheet**
- 1.3.1 **Address of the Company / Supplier:**
 CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Telefax: +49 - 4251-812902, E-Mail: schmierstoffe@classic-oil.de
- 1.3.2 **Responsible for the data sheet:**
 CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de
- 1.4 **Emergency telephone number**
 Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of
 Poisoning
 Telephone: +49 - 4251-81251 (8:30 – 16:30) Telephone: +44 870 600 6266

SECTION 2: Hazards identification

- 2.1 **Classification of the substance or mixture**
Classification and labelling according to Directive 1272/2008/EC:
 Eye Irrit. 2; H319
- 2.2 **Label elements**
 Classification according to 1272/2008/EC: Yes.
 Applicable Exemptions: Yes.
 Signal word(s): Warning
 Component(s):

H - Phrases:
 H319: Causes serious eye irritation.

P - Phrases:
 P264: Wash thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 * P501: Dispose of contents/container to special waste collection point.

 Additional Markings:

 The above mentioned labelling is valid for distribution to private consumer.
- 2.3 **Other hazards**
 Repeated exposure may cause skin dryness or cracking.

Hazard pictogram(s):



Trade Name: CLASSIC FENJA SL 2 EP

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015

SECTION 3: Composition/information on ingredients**3.1 Substances**

n.ap.

3.2 Mixtures**Chemical Characterisation:**

Mixture mineral oil based

Dangerous Ingredients:

Material	CAS - No.	Index - No.	EC - No.	REACH - No.	m% - range
Polysulfides, di-tert-dodecyl	68425-15-0	n.av.	270-335-7	01-2119540516-41-xxxx	1 - 10%
Aquatic Chronic 4; H413 / EUH031					
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8	n.av.	224-235-5	01-2119493635-27-xxxx	1 - 2.5%
Eye Dam. 1; H318 / Aquatic Chronic 2; H411 / EUH031					
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	68457-79-4	n.av.	270-608-0	n.av.	0,1 – 1%
Skin Irrit. 2; H315 / Eye Dam. 1; H318 / Aquatic Chronic 2; H411					

Text of H - phrases: see section 16

m% - range: x – y \triangleq x \geq – < y**SECTION 4: First aid measures****4.1 Description of first aid measures****4.1.1 Inhalation:**

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash off with warm water and soap.

If symptoms persist, call a physician.

4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

4.1.4 Ingestion:

Do not induce vomiting. Rinse mouth.

Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media****5.1.1 Suitable Extinguishing Media:**Use dry chemical, CO₂, water spray sand or "alcohol" foam.**5.1.2 Extinguishing Media to Avoid:**

high volume water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire the following can be released: Carbon oxides nitrogen oxides (NO_x) sulphur oxides

* hazardous decomposition products due to incomplete combustion.

5.3 Advice for firefighters**5.3.1 Special Protective Equipment:**

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Trade Name: CLASSIC FENJA SL 2 EP

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015

SECTION 6: Accidental release measures

- 6.1 **Personal precautions, protective equipment and emergency procedures**
 See chapter 8.2.2
 Contaminated surfaces will be extremely slippery.
- 6.2 **Environmental precautions**
 Do not flush into surface water or sanitary sewer system.
 Do not allow material to contaminate ground water system.
 Local authorities should be advised if significant spillages cannot be contained.
- 6.3 **Methods and material for containment and cleaning up**
 Prevent spreading over a wide area (e.g. by containment or oil barriers).
 Use mechanical handling equipment. Keep in suitable, closed containers for disposal.
- 6.4 **Reference to other sections**
 None.

SECTION 7: Handling and storage

- 7.1 **Precautions for safe handling**
- 7.1.1 **Precautions for Safe Handling:**
 Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use.
 When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
- 7.1.2 **Precautions in Case of Fire and Explosion:**
 Normal measures for preventive fire protection.
 Keep away from sources of ignition - No smoking.
- 7.2 **Conditions for safe storage, including any incompatibilities**
- 7.2.1 **Storage Instructions:**
 Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container.
 * Do not use containers made of zinc. Protect from frost, heat and sunlight.
- 7.2.2 **Store away from:**
 Incompatible with oxidizing agents.
- 7.2.3 **Further Information on Storage Conditions:**
 None.
- 7.3 **Specific end use(s)**
 n.av.

SECTION 8: Exposure controls/personal protection

- 8.1 **Control parameters**
- | Material | Limit Value |
|----------|-------------|
| | |
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering controls**
 Provide appropriate exhaust ventilation at machinery.
- 8.2.2 **Individual protection measures**
- 8.2.2a **Respiratory Protection:** Not required under normal use.
 Breathing apparatus needed only when aerosol or mist is formed.
- 8.2.2b **Hand Protection:** Use protective skin cream before handling the product.
 Protective gloves complying with EN 374.
 nitrile rubber (0,4 mm) break through time > 8 h
 The data about break through time/strength of material are standard values!
 The exact break through time/strength of material has to be obtained from the producer of the protective glove.
 Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- 8.2.2c **Eye Protection:** Safety glasses
- 8.2.2d **Skin Protection:** Long sleeved clothing
- 8.2.2e **Further Information:** Observe wearing time limits:
- 8.2.3 **Environmental exposure controls:**
 Do not allow material to contaminate ground water system.
 Do not flush into surface water or sanitary sewer system.

Trade Name: CLASSIC FENJA SL 2 EP

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
Telephone: +49 - 4251-81251, Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

9.1.1	Form: paste	Colour: n.av.	Odour: characteristic
			Odour threshold: n.av.
9.1.2	pH-value, undiluted:	n.ap.	
	pH-value, 1% aqueous solution:	n.av.	
9.1.3	Boiling point / Boiling - range (°C):	> 250, Melting point / Melting range (°C): > 190	
9.1.4	Flash point (°C):	> 200, closed cup	
9.1.5	Flammability (EEC A10/A13):	n.av.	
9.1.6	Ignition temperature (°C):	n.av.	
9.1.7	Autoflammability (EEC A16):	None.	
9.1.8	Oxidising properties:	None.	
9.1.9	Explosion hazard:	None.	
9.1.10	Explosion limits (Vol.%) lower:	n.av., upper: n.av.	
9.1.11	Vapour pressure:	n.av.	
	Vapour density (Air = 1):	n.av.	
9.1.12	Density (g/ml):	0,94 (20°C)	
9.1.13	Solubility (in Water):	immiscible	
9.1.14	Partition coefficient, n-Octanol / Water:	n.av.	
9.1.15	Viscosity:	n.av.	
9.1.16	Solvent content (m %):	Not relevant	
9.1.17	Thermal decomposition (°C):	n.av.	
9.1.18	Evaporation rate:	n.av.	
9.2	Other information		
	n.av.		

SECTION 10: Stability and reactivity

10.1	Reactivity	None.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4	Conditions to avoid	Protect from frost, heat and sunlight.
10.5	Incompatible materials	Incompatible with oxidizing agents.
10.6	Hazardous decomposition products	No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat.

Trade Name: CLASSIC FENJA SL 2 EP

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute Health Effects:

Inhalation: n.av.

Ingestion: n.av.

Skin Contact: n.av.

Skin corrosion / irritation: Slight

* Serious eye damage / irritation: Causes serious eye irritation.

Respiratory or skin sensitisation: n.av.

Germ cell mutagenicity: n.av.

Carcinogenicity: n.av.

Reproductive toxicity: n.av.

STOT-single exposure: n.av.

STOT-repeated exposure: n.av.

Aspiration hazard: n.av.

11.1.1 – Practical Experience

11.1.11 n.av.

11.1.12 Practical Experience

Observations relevant for classification:

None.

Further Observations:

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Classification of the preparation has been done by calculation in accordance with EEC directives.

SECTION 12: Ecological information**12.1 Toxicity**

We have no quantitative data concerning the ecological effects of this product.

12.2 Persistence and degradability

No data is available on the product itself.

12.3 Bioaccumulative potential

n.av.

12.4 Mobility in soil

n.av.

12.5 Results of PBT and vPvB assessment

No data is available on the product itself.

12.6 Other adverse effects

12.6.1 COD-Value, mg/g: n.av.

12.6.2 BOD5-Value, mg/g: n.av.

12.6.3 AOX-Remarks: Not applicable.

12.6.4 Significant Components: None.

12.6.5 Other adverse effects: Not applicable.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

13.1.1 Recommendation:

Waste - Code - No.: 12 01 12

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

In addition comply with the regional authorities.

13.2 Contaminated Packaging

13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.

13.2.2 Safe Handling: As described under Residues.

Trade Name: CLASSIC FENJA SL 2 EP

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 22.12.2016 Replaces Data Sheet of: 05.08.2015

SECTION 14: Transport information

	ADR	IMDG	IATA
	Not a dangerous substance as defined in the above regulations.		
14.1	UN number		
14.2	UN proper shipping name		
14.3	Transport hazard class(es)		
14.4	Packing group		
14.5	Environmental hazards		
14.6	Special precautions for user		
	Transport category: Classification Code: Hazard - No.: LQ:		Packing Instructions (Passenger) Packing Instructions (Cargo)
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		

SECTION 15: Regulatory information

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**
n.av.
- 15.2 **Chemical safety assessment :**
n.ap.

SECTION 16: Other information**Text of H phases mentioned in Section 3**

EUH031: Contact with acids liberates toxic gas.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

This datasheet has been compiled in accordance with EU regulation 2015/830.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de, +49-6421-886563

Receipt of Data: 18.06.2015, \$clg_0278

