Page 1 of 6

Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

"\*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: CLASSIC MEDUNA LT 530 LA

Article No.: n.av.
Preparation No.: n.av.
Registration No.: n.av.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use: lubricant assistants

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya

Telephone: +49 - 4251-81251, Telefax: +49 - 4251-812902, E-Mail: schmierstoffe@classic-oil.de

1.3.2 Responsible for the data sheet:

CoSiChem AG, Ernst-Lemmer-Straße 27, D - 35041 Marburg, info@cosichem.de

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of

Poisoning

Telephone: +49 - 4251-81251 (8:30 – 16:30)

Telephone: +44 870 600 6266

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification and labelling according to Directive 1272/2008/EC:

Aquatic Chronic H412 / EUH208

Classification and labelling according to Directive 1999/45/EC:

dangerous for the environment R 52/53

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No.

Signal word(s): n.ap. Hazard pictogram(s):

Component(s):

H - Phrases:

H412: Harmful to aquatic life with long lasting effects.

#### P - Phrases:

P102: Keep out of reach of children.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P315: Get immediate medical advice/attention.

P501: Dispose of contents/container to hazardous or special waste collection.

P273: Avoid release to the environment.

Additional Markings:

EUH208: Contains Dialkyldithiophosphate. May produce an allergic reaction.

The above mentioned labelling is valid for distribution to private consumer.

2.3 Other hazards

Inhalation of vapours in high concentration may cause irritation of respiratory system.

Solvents may degrease the skin.

This mixture contains no substances which are assessed to be PBT or vPvB.

#### Trade Name: CLASSIC MEDUNA LT 530 LA

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

**Dangerous Ingredients:** 

#### 3.2 Mixtures

#### **Chemical Characterisation:**

Petroleum products

**Dangerous Ingredients:** 

| . 5       |              |           |                                  |            |            |                       |   |
|-----------|--------------|-----------|----------------------------------|------------|------------|-----------------------|---|
| CAS - No. | Index - No.  | EC - No.  | Material                         | m% - range | Symbol     | R / H - phrases       |   |
| _         | 015-171-00-7 | 406-940-1 | O,O,O-tris(2(or 4)-C9-10-        | 0.1 - 1%   | Ν;         | R 51/53 ;             |   |
|           |              |           | isoalkylphenyl) phosphorothioate |            | GHS09      | H411                  |   |
| 122-39-4  | 612-026-00-5 | 204-539-4 | Diphenyl amine                   | 0.1 - 1%   | T, N ;     | R 23/24/25-33-50/53;  |   |
|           |              |           | REACH_01-2119488966-13-xxxx      |            | GHS06 GHS0 | 8 H331 H311 H301 H373 | 3 |
|           |              |           |                                  |            | GHS09 Dgr  | H400 H410             |   |
| n.av.     | n.av.        | n.av.     | Phosphate-Ester-Derivate         | 0,1 – 1%   | Xi, N;     | R 36/38-51/53; H315   |   |
|           |              |           |                                  |            | GHS07 GHS0 | 9 H319 H411           |   |
| n.av.     | n.av.        | n.av.     | Dialkyldithiophosphate           | 0,1 – 1%   | Xi ;       | R 43;                 |   |
|           |              |           |                                  |            | GHS07      | H317                  |   |

Text of R-/H- phrases: see section 16

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### 4.1.1 Inhalation:

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

If symptoms persist, call a physician.

#### 4.1.2 Skin Contact:

Wash off with warm water and soap. In the case of skin irritation or allergic reactions see a physician.

#### 4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

## 4.1.4 Ingestion:

Do not induce vomiting. Rinse mouth. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

Risk of product entering the lungs on vomiting after ingestion.

Aspiration may cause pulmonary oedema and pneumonitis.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# 5.1.1 Suitable Extinguishing Media:

Use dry chemical, CO2, water spray or "alcohol" foam.

## 5.1.2 Extinguishing Media to Avoid:

high volume water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon oxides, Sulphur oxides, nitrogen oxides (Nox), oxides of phosphorus.

#### 5.3 Advice for firefighters

### 5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

### 5.3.2 Additional Information:

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Page 3 of 6

Trade Name: CLASSIC MEDUNA LT 530 LA

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

See chapter 8.2.2

Contaminated surfaces will be extremely slippery.

#### 6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Prevent spreading over a wide area (e.g. by containment or oil barriers). Soak up with oil absorbent material. Shovel into suitable container for disposal.

#### 6.4 Reference to other sections

None.

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

### 7.1.1 Precautions for Safe Handling:

Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use. When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

Do not port contaminated cleaning rags in pockets.

Contaminated equipment (brushes, rags) must be cleaned immediately with water.

### 7.1.2 Precautions in Case of Fire and Explosion:

Normal measures for preventive fire protection. Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### 7.2.1 Storage Instructions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Keep away from heat. Keep away from direct sunlight.

## 7.2.2 Store away from:

Do not store together with strong acids and oxidizing agents

### 7.2.3 Further Information on Storage Conditions:

Avoid subsoil penetration.

#### 7.3 Specific end use(s)

n.av.

## SECTION 8: Exposure controls/personal protection

8.1 **Control parameters** 

MaterialLimit ValueDialkyldithiophosphatesterGHS07

#### 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Do not breathe vapours or spray mist.

### 8.2.2 Individual protection measures

8.2.2a **Respiratory Protection:** Breathing apparatus needed only when aerosol or mist is formed.

Respirator with filter A2, A2P2, ABEK

8.2.2b **Hand Protection:** Use protective skin cream before handling the product. protective gloves nitrile

rubber Neoprene As the product is a preparation of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for

each case

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time.

8.2.2c **Eye Protection:** safety glasses

8.2.2d **Skin Protection:** n.av.

8.2.2e Further Information: Observe wearing time limits:

## 8.2.3 Environmental exposure controls:

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Page 4 of 6

Trade Name: CLASSIC MEDUNA LT 530 LA

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1 Form: viscous liquid Colour: brown Odour: characteristic

Odour threshold: n.av.

9.1.2 pH-value, undiluted: n.ap., pH-value, 1% aqueous solution: n.ap. 9.1.3 Boiling point / Boiling - range (°C): n.av., Melting point / Melting range (°C): n.av.

9.1.4 Flash point (°C): 230, closed cup

9.1.5 Flammability (EEC A10/A13): n.av.
9.1.6 Ignition temperature (°C): n.av.
9.1.7 Autoflammability (EEC A16): None.
9.1.8 Oxidising properties: None.
9.1.9 Explosion hazard: None.

9.1.10 Explosion limits (Vol.%) lower: n.av., upper: n.av. 9.1.11 Vapour pressure: / Vapour density (Air = 1): n.av. / n.av. 9.1.12 Density (g/ml): 0,85 (15°C)

9.1.13 Solubility (in Water): practically insoluble Soluble in: organic solvent

9.1.14 Partition coefficient, n-Octanol / Water: n.av.

9.1.15 Viscosity: 72 mm² / s (40°C)
9.1.16 Solvent content (m %): Not relevant
9.1.17 Thermal decomposition (°C): n.av.
9.1.18 Evaporation rate: n.av.

9.2 Other information

n.av.

## SECTION 10: Stability and reactivity

10.1 Reactivity

None.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Protect from frost, heat and sunlight. temperatures above 50°C.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

## 11.1.1 Substances

### 11.1.2 Mixtures

Acute Toxicity:

Inhalation:n.av.Ingestion:n.av.Skin Contact:n.av.Irritation / corrosion (to skin / eye):slight

Sensitisation: May cause an allergic skin reaction.

Carcinogenicity: n.av.
Mutagenicity: n.av.
Teratogenicity: n.av.
Narcotic Effects: None.

#### 11.1.3 - Practical Experience

11.1.12 n.av.

11.1.13 Practical Experience

Observations relevant for classification: None

Further Observations:

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Classification of the preparation has been done by calculation in accordance with EEC directives.

Page 5 of 6

#### Trade Name: CLASSIC MEDUNA LT 530 LA

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hova Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

## SECTION 12: Ecological information

12.1 **Toxicity** 

We have no quantitative data concerning the ecological effects of this product.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

Not readily biodegradable. Inherently biodegradable. The product is slightly soluble in water.

It can be eliminated from water by abiotic processes.

12.3 **Bioaccumulative potential** 

n.av.

12.4 Mobility in soil

n.av.

13.1.1

12.5 Results of PBT and vPvB assessment

This mixture contains no substances which are assessed to be PBT or vPvB.

12.6 Other adverse effects

COD-Value, mg/g: 12.6.1 n.av. 12.6.2 BOD5-Value, mg/g: n.av.

AOX-Remarks: Not applicable. 12.6.3 Significant Components: Hydrocarbons 12.6.4 12.6.5 Other adverse effects: Not applicable.

#### SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation:

Waste - Code - No.: 13 02 06

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

In addition comply with the regional authorities.

13.2 **Contaminated Packaging** 

Recommendation: Wash with suitable cleaner. Otherwise as described under Residues. 13.2.1

13.2.2 Safe Handling: As described under Residues.

|      | ADR  | IMDG   | IATA   |  |  |  |  |  |
|------|--|--|--|--|--|--|--|--|
|      | Not a dangerous substance as defined in the above regulations. | Not a dangerous substance as defined in the above regulations. | Not a dangerous substance as defined in the above regulations. |  |  |  |  |  |
| 4.1  | UN number  |  | •  |  |  |  |  |  |
|      |  |  |  |  |  |  |  |  |
| 4.2  | UN proper shipping name  | 1  |  |  |  |  |  |  |
|      |  |  |  |  |  |  |  |  |
| 14.3 | Transport hazard class(es)                                     |  |  |  |  |  |  |  |
|      |  |  |  |  |  |  |  |  |
| 4.4  | Packing group  |  |  |  |  |  |  |  |
|      |  |  |  |  |  |  |  |  |
| 4.5  | Environmental hazards  | I  |  |  |  |  |  |  |
| 14.6 | Special precautions for user                                   |  |  |  |  |  |  |  |
|      | Transport category: Classification Code: Hazard - No.:         |  | Packing Instructions (Passenger)                               |  |  |  |  |  |
|      | LQ:  |  | Packing Instructions (Cargo)                                   |  |  |  |  |  |
| 4.7  | Transport in bulk according to Annex II of                     | $\parallel$<br>MARPOL73/78 and the IBC Code                    |  |  |  |  |  |  |

Page 6 of 6

#### Trade Name: CLASSIC MEDUNA LT 530 LA

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment:

A chemical safety assessment has not been carried out.

#### SECTION 16: Other information

#### Text of R / H phrases mentioned in Section 3

R 23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R 33: Danger of cumulative effects.

R 36/38: Irritating to eyes and skin.

R 43: May cause sensitization by skin contact.

R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

This datasheet has been compiled in accordance with EU regulation 453/201.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products. Prepared by:



CoŚiChem AG, Ernst-Lemmer-Straße 27, D - 35041 Marburg, info@cosichem.de, +49-6421-886563 Receipt of Data: 10.03.2011, \$clg 0018