

Trade Name: CLASSIC MEDUNA LT 530

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

SECTION 3: Composition/information on ingredients**3.1 Substances****Dangerous Ingredients:****3.2 Mixtures****Chemical Characterisation:**

Petroleum products

Dangerous Ingredients:

CAS - No.	Index - No.	EC - No.	Material	m% - range	Symbol	R / H - phrases
68649-42-3	n.av.	272-028-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	1 - 2,5%	Xi, N ; GHS05 GHS09	R 31-38-41-51/53 ; H315 H318 H411 EUH031
n.v.	n.av.	n.av.	Alkyl (longchained) Ca-Salicylate	1 - 5%	n.ap.	R 52/53 ; H412

Text of R-/H- phrases: see section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****4.1.1 Inhalation:**

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash off with warm water and soap.

4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

4.1.4 Ingestion:

Do not induce vomiting. Rinse mouth. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risk of product entering the lungs on vomiting after ingestion.

Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media****5.1.1 Suitable Extinguishing Media:**

Use dry chemical, CO₂, water spray or "alcohol" foam.

5.1.2 Extinguishing Media to Avoid:

high volume water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon oxides, Sulphur oxides, nitrogen oxides (Nox), oxides of phosphorus.

5.3 Advice for firefighters**5.3.1 Special Protective Equipment:**

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

See chapter 8.2.2

Contaminated surfaces will be extremely slippery.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Soak up with oil absorbent material. Shovel into suitable container for disposal.

6.4 Reference to other sections

None.

Trade Name: CLASSIC MEDUNA LT 530

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

SECTION 7: Handling and storage

- 7.1 **Precautions for safe handling**
- 7.1.1 **Precautions for Safe Handling:**
 Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use.
 When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
 Do not port contaminated cleaning rags in pockets.
 Contaminated equipment (brushes, rags) must be cleaned immediately with water.
- 7.1.2 **Precautions in Case of Fire and Explosion:**
 Normal measures for preventive fire protection. Do not smoke.
- 7.2 **Conditions for safe storage, including any incompatibilities**
- 7.2.1 **Storage Instructions:**
 Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Keep away from heat. Keep away from direct sunlight. Keep at temperature not exceeding 50°C.
- 7.2.2 **Store away from:**
 Do not store together with strong acids and oxidizing agents.
- 7.2.3 **Further Information on Storage Conditions:**
 Avoid subsoil penetration.
- 7.3 **Specific end use(s)**
 n.av.

SECTION 8: Exposure controls/personal protection

- 8.1 **Control parameters**

Material	Limit Value
-----------------	--------------------
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering controls**
 Ensure adequate ventilation. Do not breathe vapours or spray mist.
- 8.2.2 **Individual protection measures**
- 8.2.2a **Respiratory Protection:** Breathing apparatus needed only when aerosol or mist is formed.
 Respirator with filter A2, A2P2, ABEK
- 8.2.2b **Hand Protection:** Use protective skin cream before handling the product. protective gloves nitrile rubber Neoprene As the product is a preparation of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case.
 Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- 8.2.2c **Eye Protection:** safety glasses
- 8.2.2d **Skin Protection:** n.av.
- 8.2.2e **Further Information:** Observe wearing time limits:
- 8.2.3 **Environmental exposure controls:**
 Do not allow material to contaminate ground water system.
 Do not flush into surface water or sanitary sewer system.

Trade Name: CLASSIC MEDUNA LT 530

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

9.1.1	Form: viscous liquid	Colour: brown	Odour: characteristic
			Odour threshold: n.av.
9.1.2	pH-value, undiluted:	n.ap.,	pH-value, 1% aqueous solution: n.ap.
9.1.3	Boiling point / Boiling - range (°C):	n.av.,	Melting point / Melting range (°C): n.av.
9.1.4	Flash point (°C):	> 200, closed cup	
9.1.5	Flammability (EEC A10/A13):	n.av.	
9.1.6	Ignition temperature (°C):	n.av.	
9.1.7	Autoflammability (EEC A16):	None.	
9.1.8	Oxidising properties:	None.	
9.1.9	Explosion hazard:	None.	
9.1.10	Explosion limits (Vol.%) lower:	n.av., upper: n.av.	
9.1.11	Vapour pressure: / Vapour density (Air = 1):	n.av. / n.av.	
9.1.12	Density (g/ml):	0,86 (15°C)	
9.1.13	Solubility (in Water):	practically insoluble	Soluble in: organic solvent
9.1.14	Partition coefficient, n-Octanol / Water:	n.av.	
9.1.15	Viscosity:	~ 75 mm ² / s (40°C)	
9.1.16	Solvent content (m %):	Not relevant	
9.1.17	Thermal decomposition (°C):	n.av.	
9.1.18	Evaporation rate:	n.av.	
9.2	Other information	n.av.	

SECTION 10: Stability and reactivity

10.1	Reactivity
	None.
10.2	Chemical stability
	Stable under normal conditions.
10.3	Possibility of hazardous reactions
	No dangerous reaction known under conditions of normal use.
10.4	Conditions to avoid
	Protect from frost, heat and sunlight. temperatures above 110°C.
10.5	Incompatible materials
	strong oxidizing agents.
10.6	Hazardous decomposition products
	No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat. temperatures above 110°C.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****11.1.1 Substances****11.1.2 Mixtures**

	Acute Toxicity:	
	Inhalation:	n.av.
	Ingestion:	n.av.
	Skin Contact:	n.av.
*	Irritation / corrosion (to skin / eye):	Causes serious eye irritation.
	Sensitisation:	None.
	Carcinogenicity:	n.av.
	Mutagenicity:	n.av.
	Teratogenicity:	n.av.
	Narcotic Effects:	None.

11.1.3 – Practical Experience

11.1.12 n.av.

11.1.13 Practical Experience

Observations relevant for classification: None.

Further Observations:

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Classification of the preparation has been done by calculation in accordance with EEC directives.

Trade Name: CLASSIC MEDUNA LT 530

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

SECTION 12: Ecological information

- 12.1 **Toxicity**
 We have no quantitative data concerning the ecological effects of this product.
 * Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 12.2 **Persistence and degradability**
 Not readily biodegradable. Inherently biodegradable.
 The product is slightly soluble in water. It can be eliminated from water by abiotic processes.
- 12.3 **Bioaccumulative potential**
 n.av.
- 12.4 **Mobility in soil**
 n.av.
- 12.5 **Results of PBT and vPvB assessment**
 This mixture contains no substances which are assessed to be PBT or vPvB.
- 12.6 **Other adverse effects**
- 12.6.1 COD-Value, mg/g: n.av.
- 12.6.2 BOD5-Value, mg/g: n.av.
- 12.6.3 AOX-Remarks: Not applicable.
- 12.6.4 Significant Components: Hydrocarbons
- 12.6.5 Other adverse effects: Not applicable.

SECTION 13: Disposal considerations

- 13.1 **Waste treatment methods**
- 13.1.1 Recommendation: Waste - Code - No.: 13 02 05 / 13 02 06
 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

 In addition comply with the regional authorities.
- 13.2 **Contaminated Packaging**
- 13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.
- 13.2.2 Safe Handling: As described under Residues.

SECTION 14: Transport information

	ADR	IMDG	IATA
	Not a dangerous substance as defined in the above regulations.	Not a dangerous substance as defined in the above regulations.	Not a dangerous substance as defined in the above regulations.
14.1	UN number		
14.2	UN proper shipping name		
14.3	Transport hazard class(es)		
14.4	Packing group		
14.5	Environmental hazards		
14.6	Special precautions for user		
	Transport category: Classification Code: Hazard - No.: LQ:		Packing Instructions (Passenger) Packing Instructions (Cargo)
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		

Trade Name: CLASSIC MEDUNA LT 530

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
Telephone: +49 - 4251-81251, Date of issue: 29.08.2014 Replaces Data Sheet of: 01.08.2013

SECTION 15: Regulatory information

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**
n.av.
- 15.2 **Chemical safety assessment :**
A chemical safety assessment has not been carried out.

SECTION 16: Other information**Text of R / H phrases mentioned in Section 3**

R 31: Contact with acids liberates toxic gas.

R 38: Irritating to skin.

R 41: Risk of serious damage to eyes.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

EUH031: Contact with acids liberates toxic gas.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

This datasheet has been compiled in accordance with EU regulation 453/201.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by:

CoSiChem AG, Ernst-Lemmer-Straße 27, D - 35041 Marburg, info@cosichem.de, +49-6421-886563

Receipt of Data: 10.03.2011, \$clg_0019

